

THE ORIGINAL SINCE 1967. CPV 32 3 5350

535Q CRY BABY MULTI-WAH

POWER

The 535Q Cry Baby Multi-Wah is powered by one 9-volt battery (accessed via the bottom of the pedal), an AC adapter such as the Dunlop ECB003, or the DC Brick™ and Iso-Brick™ power supplies.


CONTROLS

- RANGE SELECTOR knob sets tonal range of 535Q's sweep
- VOLUME knob controls amount of gain added by BOOST switch, up to 16dB
- VARIABLE Q knob controls the width of the 535Q's bandpass
- BOOST switch increases output as set by the VOLUME knob

SETUP INSTRUCTIONS

- Run an instrument cable from your guitar to the 535Q's INSTRUMENT jack and another instrument cable from the 535Q's AMPLIFIER jack into your amplifier's input.
- Push the toe of the pedal down until you feel a "click" to turn the pedal on/off.
- Rotate the RANGE SELECTOR knob clockwise for a lower frequency range or counterclockwise for a higher frequency range.
- Rotate the VARIABLE Q knob clockwise for a narrower bandpass to emphasize higher end harmonics or counterclockwise for a wider bandpass that emphasizes lower end harmonics.

- To increase the 535Q's output, engage the BOOST switch and rotate the VOLUME control clockwise to increase the amount of gain, up to 16dB, or counterclockwise to decrease it.
- Rock your foot back and forth on the pedal to hear the vocal, expressive tones that the Cry Baby Wah is famous for.



SPECIFICATIONS

Toe Down

Impedance	
Input	1 ΜΩ
Output	1 kΩ
Signal to Noise Ratio*	
Heel Down	90 dBV

97 dBV

TOC DOWN				,	uD v
Wah Range Selector					
1st Position (Full CCW)	440	Hz	to	2.2	kHz
2nd Position	400	Hz	to	1.9	kHz
3rd Position	375	Hz	to	1.8	kHz
4th Position	345	Hz	to	1.6	kHz
5th Position	395	Hz	to	1.4	kHz
6th Position	250	Hz	to	1.2	kHz
Filter Gain**				15	5 dB
Boost Control Range	0.	1 df	3 t	o 17	7 dB
Bypass		Tru	e F	Hard	wire
Current Draw				2.5	mA
Power Supply	DC 9 volts				

^{*}A-weighted, **Q control at maximum clockwise, boost off



DUNLOP MANUFACTURING, INC P.O. BOX 846 BENICIA, CA 94510 U.S.A TEL: 1-707-745-2722 FAX: 1-707-745-2658