

WM23

WAY HUGE®
SMALLS™
RED LLAMA
OVERDRIVE

**THE ICONIC RED LLAMA OVERDRIVE
IS BACK—AND MORE COMPACT
THAN EVER!**

Beware: this llama can bite. But it also purrs. And screams, if you smack it just right. Celebrating the 30th anniversary of Way Huge, the beloved RL2 Red Llama Overdrive (Way Huge's first production pedal, introduced in 1992) returns with a vengeance.

External Controls



- 1** VOLUME knob sets overall effect volume
- 2** DRIVE knob sets the amount of overdrive
- 3** FOOTSWITCH toggles effect on/bypass (blue LED indicates on)

POWER

The Way Huge® Red Llama™ Overdrive is powered by a single 9-volt battery (remove bottom plate to install), a 9-volt AC adapter such as the Dunlop ECB003, or an MXR® Brick™ Series power supply. The power input is a 5.5mm x 2.1mm jack with the positive voltage on the outer sleeve. Using an external power supply will disconnect the battery. Disconnect the input jack to preserve battery life when not in use.

Specifications

Input Impedance	> 450 k Ω
Output Impedance	< 150 Ω
Noise Floor*	< -100 dBV
Bypass	True Hardware, 3PDT
Current Draw	10 mA
Power Requirements	9 volts DC

*A-weighted, all controls at mid position.